

Read Articles
in Press Online!
www.ajpm-online.net

**AMERICAN JOURNAL OF
PREVENTIVE
MEDICINE**

VOLUME 37(4) OCTOBER 2009 AJPM-ONLINE.NET

Research Articles	Review and Special Articles
263 Pounds Off Digitally Study: A Randomized Poking-and-Tugging Weight-Loss Intervention GM Turner-McGrievy, MK Campbell, DP Tate, KP Truesdell, JM Bowling, L Groby	350 Meta-Analysis of Workplace Physical Activity Interventions VS Conn, AR Hättilä, PS Cooper, LM Brown, SL Lock
270 Preventing Weight Gain: One-Year Results of a Randomized Lifestyle Intervention NCW ter Bogt, WJF Beuningen, FW Bekman, J Broer, AJ Smith, K van der Meer	Guide to Community Preventive Services
278 Cardiometabolic Risk in Younger and Older Adults Across an Index of Ambulatory Activity MD Schmidt, SJ Ghimici, K Stone, T Dora, AJ Venitt	340 The Effectiveness of Worksite Nutrition and Physical Activity Interventions for Controlling Employee Overweight and Obesity: A Systematic Review LM Anderson, TA Quinn, K Glanz, G Ramirez, LC Kibwanji, DB Johnson, LR Buchanan, WR Arthur, S Chatteropadhyay, CP Kuhn, DL Katz, and the Task Force on Community Preventive Services
285 A Walk (or Cycle) to the Park: Active Transit to Neighborhood Amenities, the CARDIA Study J Boone-Holmstrom, DR Jacobs Jr, S Schuy, B Sternfeld, CL Lewis, F Goodson-Lauen	358 A Recommendation to Improve Employee Weight Status Through Worksite Health Promotion Programs Targeting Nutrition, Physical Activity, or Both Task Force on Community Preventive Services
295 The Built Environment and Physical Activity Levels: The Harvard Alumni Health Study I-Min Lee, K Esting, HD Sosa	360 Effectiveness of Multicomponent Programs with Community Mobilization for Reducing Alcohol-Impaired Driving RS Shaha, RW Eiler, JL Nichols, DA Sleet, R Compton, SK Chatteropadhyay, and the Task Force on Community Preventive Services
299 Health-Risk Correlates of Video-Game Playing Among Adults JB Weaver III, D Marx, SS Weaver, W Kautenberger, GL Hopkins, D Berglin, JM Bernhardt	Current Issues
306 Breast Cancer Screening Among Vietnamese Americans: A Randomized Controlled Trial of Lay Health Worker Outreach TT Nguyen, G Le, T Nguyen, K Le, K Lu, G Gidycz, J Toh, N Bui-Tong, SJ McPhee	372 Reconciling the Construct of Walking in Physical Activity and Transportation Research U Lachapelle
314 Driving After Binge Drinking TS Naimi, DL Nelson, KD Brewer	Editorials and Commentary
Brief Reports	374 The Cooperative Medical Extension Program: Translation of Medical Best Practices to Practicing Primary Care Providers TD Stuckert
321 Rear-Seat Motor Vehicle Travel in the U.S.: Using National Data to Define a Population at Risk MJ Threlkeld, R Kerr	377 Opportunities and Challenges in Behavioral Informatics: Observations on the Pounds Off Digitally Study BG Cook
324 Telephone Recruitment into a Randomized Controlled Trial of Quitline Support F Tseligis, CL Paul, RA Walsh, J Wiggers, J Knight, C Leventhal, J Dak, A Neill, A Giglio	379 Video Games: Play or "Playlike Activity"? BA Primack

A Journal of the
ACPM
American College of
Preventive Medicine
&
APTR
American Public Health Association

ELSEVIER
ISSN 0749-5797

This article appeared in a journal published by Elsevier. The attached copy is furnished to the author for internal non-commercial research and education use, including for instruction at the authors institution and sharing with colleagues.

Other uses, including reproduction and distribution, or selling or licensing copies, or posting to personal, institutional or third party websites are prohibited.

In most cases authors are permitted to post their version of the article (e.g. in Word or Tex form) to their personal website or institutional repository. Authors requiring further information regarding Elsevier's archiving and manuscript policies are encouraged to visit:

<http://www.elsevier.com/copyright>

Video Games

Play or “Playlike Activity”?

Brian A. Primack, MD, EdM, MS

What made the most money on its first day of release—the last *Harry Potter* book, the most recent *Star Wars* movie, or *Halo 3*? The surprising answer is *Halo 3*.¹ Have you even heard of *Halo 3*?

If not, it may be because it is not a book or a movie but a video game. In this issue of *American Journal of Preventive Medicine*, Weaver et al.² should be applauded for reminding us that video games are currently popular not only among young people but also among adults. Indeed, the average video-game player in 2009 is aged 35 years.³

In their cross-sectional study, Weaver et al.² find that video-game playing was associated with higher BMI among men and depression and poorer overall health status among women. As the authors appropriately acknowledge, further study will be necessary to determine whether these findings are causal given the study methodology. But do these relationships make theoretic sense?

Playlike Activities

How might video games be like food? Michael Pollan, in his recent book *In Defense of Food: An Eater's Manifesto*, describes how many 21st-century health woes may be related to eating less “food” and more edible “foodlike substances.”⁴ Like food, foodlike substances stimulate the right taste buds and provide calories. However, foodlike substances do not provide many other things for which we *do* need food (e.g., vitamins, minerals, and micronutrients)—and they often provide extra things that we really *do not* need (e.g., trans fats).

Like food, play is essential to human development; it is through play that we develop crucial physical, emotional, social, and moral skills necessary to be functional beings.^{5–7} It is not an accident that the more advanced a species is, the more it plays.⁸

However, just as there are differences between the actual foods to which our bodies have become accustomed during the past 200,000 years of being *Homo sapiens* and the foodlike substances introduced during

the past 100 years, there are noteworthy differences between the oldest forms of play (e.g., chase games) and today's “playlike activities.” These playlike activities may stimulate the right parts of the brain to be engaging—and they may even provide other values of play, such as improving hand–eye coordination and understanding of rules. However, the differences between today's playlike activities and original forms of play may illuminate some of the observed health-related correlates discovered by Weaver et al.²

Original forms of play were highly physical, whereas today's playlike activities are often sedentary. The first board game (probably *senet*) apparently did not appear until about 5000 years ago.⁹ But the real increase in time with sedentary game-playing has come only in the past 40 years, as advances in technology and marketing have enabled video games to become more compelling and more stimulating.³ It is not surprising that this increased time may be associated with increases in BMI.^{10–12}

With regard to their finding of increased psychopathology among women, Weaver et al.² offer the hypothesis that women may self-medicate for psychopathology via video games. This is certainly possible. It is also possible that while original forms of play strongly facilitate human interaction, relationship, and bonding, today's playlike activities are more commonly used in isolation, minimizing some of the original value of these activities. And even during many “social” and “interactive” games, such as *World of Warcraft*, the participants are separated by hundreds of miles, pretending to be violent creatures completely different from themselves. Displacement of pro-social relationship-building play with these activities may hinder appropriate social and emotional development and contribute to depression.

Serious Games

But what about the ingenuity of role-playing games such as *World of Warcraft* and *The Sims*? What about the ability of *Where in the World Is Carmen Sandiego* to educate and encourage love of learning? And what about the potential value of interactive multiplayer platforms that bring people together from all over the globe to play?

From the University of Pittsburgh School of Medicine, Pittsburgh, Pennsylvania

Address correspondence and reprint requests to: Brian A. Primack, MD, EdM, MS, University of Pittsburgh School of Medicine, 230 McKee Place 600, Pittsburgh PA 15213. E-mail: bprimack@pitt.edu.

As we consider the potential risks of video games, it is important to also acknowledge the great potential benefits of this medium and endeavor to co-opt these benefits for public health. Although video-game playing is often sedentary, there is a growing class of “active” video games.¹⁰ Moving your legs back and forth in the living room as if you are skiing is not likely to increase your metabolism as much as actual skiing, but it is more convenient and feasible for today’s lifestyles. Initial findings suggest that playing active video games is associated with some increases in objective measures of energy expenditure.^{10,13} The question remains, however, of whether these games actually succeed in changing clinically relevant outcomes over time.

And physical activity is only the start. There is an entire industry developing around “serious games,”¹⁴ which have been defined as

mental contests, played with a computer in accordance with specific rules that use entertainment to further government or corporate training, education, health, public policy, and strategic communication objectives.¹⁵

In the area of health, a large Games for Health conference—part of the Serious Games Initiative of the Woodrow Wilson International Center for Scholars and assisted by a grant from the Robert Wood Johnson Foundation—is conducted annually.¹⁶

Much remains to be researched in this area, because video games have been developed to do everything from educate regarding street safety,¹⁷ distract from pain,¹⁸ improve self-esteem,¹⁹ and train surgeons in endoscopy.²⁰ However, it is not clear to what degree these games actually work. Once more is understood about the effectiveness of these games, practitioners can be guided to effective games and designers can be encouraged to improve the ones that are not as effective.

However, the greatest challenge will be maintaining balance. How do we simultaneously help the public steer away from imitation playlike activities, harness the potentially positive aspects of video games, and keep in perspective the overall place of video games in our society? There are massive, powerful industries promoting many playlike activities. Those industry giants that can afford to will successfully tout the potential health-related benefits of products they develop. But who will

be left to remind us that—for children and adults alike—Hide-And-Seek and Freeze Tag are still probably what we need most?

No financial disclosures were reported by the author of this paper.

References

- Henderson P. Microsoft “Halo 3” 1st-day sales hit \$170 million. Reuters News Corporation. September 26, 2007.
- Weaver JB III, Mays D, Weaver SS, et al. Health-risk correlates of video-game playing among adults. *Am J Prev Med* 2009;37:299–305.
- Entertainment Software Association. Essential facts about the computer and video game industry. Washington DC: Entertainment Software Association, 2009.
- Pollan M. In defense of food: an eater’s manifesto. New York: Penguin, 2008.
- Ginsburg KR, American Academy of Pediatrics Committee on Communications, American Academy of Pediatrics Committee on Psychosocial Aspects of Child and Family Health. The importance of play in promoting healthy child development and maintaining strong parent-child bonds. *Pediatrics* 2006;119(1):182–91.
- Piaget J. The child’s construction of reality. London: Routledge, 1955.
- Wenner M. The serious need for play. *Scientific American Mind*. Washington DC: Scientific American, 2009.
- Huizinga J. *Homo ludens*. Boston MA: Beacon, 1955.
- Piccione PA. In search of the meaning of senet. *Archaeology* 1980;(July/August):55–8.
- Lanningham-Foster L, Jensen TB, Foster RC, et al. Energy expenditure of sedentary screen time compared with active screen time for children. *Pediatrics* 2006;118(6):e1831–5.
- Laurson KR, Eisenmann JC, Welk GJ, Wickel EE, Gentile DA, Walsh DA. Combined influence of physical activity and screen time recommendations on childhood overweight. *J Pediatr* 2008;153(2):209–14.
- Must A, Bandini LG, Tybor DJ, Phillips SM, Naumova EN, Dietz WH. Activity, inactivity, and screen time in relation to weight and fatness over adolescence in girls. *Obesity (Silver Spring)* 2007;15(7):1774–81.
- Maddison R, Mhurchu CN, Jull A, Jiang Y, Prapavessis H, Rodgers A. Energy expended playing video console games: an opportunity to increase children’s physical activity? *Pediatr Exerc Sci* 2007;19(3):334–43.
- Michael D, Chen S. Serious games: games that educate, train, and inform. Boston MA: Thompson Course Technology, 2005.
- Zyda M. From visual simulation to virtual reality to games. *IEEE Computer* 2005;38(9):25–32.
- Serious Games Initiative. Games for health Web site. <http://www.gamesforhealth.org/index.html>.
- Coles CD, Strickland DC, Padgett L, Bellmoff L. Games that “work”: using computer games to teach alcohol-affected children about fire and street safety. *Res Dev Disabil* 2007;28(5):518–30.
- Gold JI, Kim SH, Kant AJ, Joseph MH, Rizzo AS. Effectiveness of virtual reality for pediatric pain distraction during IV placement. *Cyberpsychol Behav* 2006;9(2):207–12.
- Baccus JR, Baldwin MW, Packer DJ. Increasing implicit self-esteem through classical conditioning. *Psychol Sci* 2004;15(7):498–502.
- Rosenberg BH, Landsittel D, Averch TD. Can video games be used to predict or improve laparoscopic skills? *J Endourol* 2005;19(3):372–6.